*Brain Research*, 455 (1988) 407–409
Elsevier



# Author Index

Adams, R.J., see Martin, D.C., 360
Agnati, L.F., see Janson, A.M., 332
Akiguchi, I., see Nakamura, S., 144
Albanese, A., see Altavista, M.C., 177
Alcayaga, J., Iturriaga, R. and Zapata, P., Flow-dependent chemosensory activity in the carotid body superfused in vitro, 31
Altavista, M.C., Bentivoglio, A.R., Crociani, P., Rossi, P. and Albanese, A., Age-dependent loss of cholinergic neurones in basal ganglia of rats, 177
Altmann, L., Lohmann, H. and Wiegand, H., Acute lead exposure transiently inhibits hippocampal neuronal activities in vitro, 254
Amir, S., Thyrotropin-releasing hormone (TRH) blocks glucagon-induced hyperglycemia in mice: dissociation of the anti-hyperglycemic and pituitary actions of TRH, 201
Andersson, K., see Janson, A.M., 332
Aou, S., Oomura, Y. and Yoshimatsu, H., Neuron activity of the ventromedial hypothalamus and the medial preoptic area of the female monkey during sexual behavior, 65
Applegate, C.D., see Waszczak, B.L., 115

Barasi, S., see Clatworthy, A., 300
Bennett, G.W., see Fone, K.C.F., 157
Bennett, T., see Harland, D., 58
Bentivoglio, A.R., see Altavista, M.C., 177
Besson, M.J., see Kemel, M.L., 307
Billings-Gagliardi, S. and Wolf, M.K., Shiverer*jimpy double mutant mice. IV. Five combinations of allelic mutations produce three morphological phenotypes, 271
Bland, B.H., see Konopacki, J., 110
Bossut, D., Frenk, H. and Mayer, D.J., Is substance P a primary afferent neurotransmitter for nociceptive input. II. Spinalization does not reduce and intrathecal morphine potentiates behavioral responses to substance P, 232
Bossut, D., Frenk, H. and Mayer, D.J., Is substance P a primary afferent neurotransmitter for nociceptive input? IV. 2-Amino-5-phosphonovalerate (APV) and [D-Pro$^2$,D-Trp$^{7,9}$]-substance P exert different effects on behaviors induced by intrathecal substance P, strychnine and kainic acid, 247
Bossut, D., see Frenk, H., 223
Bossut, D., see Frenk, H., 240
Brown, J., see Seroogy, K., 88
Brown, S.A., see McNeill, T.H., 148
Buchan, A., see Seroogy, K., 88
Burchfiel, J.L., see Waszczak, B.L., 115
Buzsàki, G., Polysynaptic long-term potentiation: a physiological role of the perforant path–CA3/CA1 pyramidal cell synapse, 192

Ceccatelli, S., see Seroogy, K., 88
Celentano, J.J., Gibbs, T.T. and Farb, D.H., Ethanol potentiates GABA- and glycine-induced chloride currents in chick spinal cord neurons, 377
Chalazonitis, A., see Crain, S.M., 99
Civelli, O., see Iadarola, M.J., 205
Claps, A. and Torrealba, F., The carotid body connections: a WGA-HRP study in the cat, 123
Claps, A., see Torrealba, F., 134
Clatworthy, A., Williams, J.H. and Barasi, S., Intrathecal 5-hydroxytryptamine and electrical stimulation of the nucleus raphe magnus in rats both reduce the antinociceptive potency of intrathecally administered noradrenaline, 300
Cohen, J.L., The action of γ-aminobutyric acid on the horizontal cells of the skate retina, 366
Conti, F., see DeFelipe, J., 162
Crain, S.M., Shen, K.-F. and Chalazonitis, A., Opioids excite rather than inhibit sensory neurons after chronic opioid exposure of spinal cord-ganglion cultures, 99
Crociani, P., see Altavista, M.C., 177
Cuello, A.C., see Pioro, E.P., 182
Cynader, M.S., see Grasse, K.L., 385

Daddona, P.E., see Staines, W.A., 72
Dall'Olio, R., see Gandolfi, O., 390
DeFelipe, J., Conti, F., Van Eyck, S.L. and Manzoni, T., Demonstration of glutamate-positive axon terminals forming asymmetric synapses in cat neocortex, 162
Desban, M., see Kemel, M.L., 307
Dewar, K.M., see Staines, W.A, 72
Dix, P., see Fone, K.C.F., 157
Dockray, G., see Seroogy, K., 88
Donahue, P.E., see Yoshida, J., 1
Douglass, J., see Iadarola, M.J., 205
Dragunow, M. and Robertson, H.A., Brain injury induces c-fos protein(s) in nerve and glial-like cells in adult mammalian brain, 295

Edamatsu, R., see Hiramatsu, M., 38
Ezure, K., Manabe, M. and Yamada, H., Distribution of medullary respiratory neurons in the rat, 262
Ezure, K., see Yamada, H., 283

Farb, D.H., see Celentano, J.J., 377
Fisher, A., see Mochida, S., 9
Fleischmann, A. and Urca, G., Different endogenous analgesia systems are activated by noxious stimulation of different body regions, 49
Fone, K.C.F., Dix, P., Tomlinson, D.R., Bennett, G.W. and Marsden, C.A., Spinal effects of chronic intrathecal administration of the thyrotrophin-releasing hormone analogue (CG 3509) in rats, 157
Frenk, H., Bossut, D. and Mayer, D.J., Is substance P a primary afferent neurotransmitter for nociceptive input? III. Valproic acid and chlordiazepoxide decrease behaviors elicited by intrathecal injection of substance P and excitatory compounds, 240
Frenk, H., Bossut, D., Urca, G. and Mayer, D.J., Is substance P a primary afferent neurotransmitter for nociceptive input? I. Analysis of pain-related behaviors resulting from intrathecal administration of substance P and 6 excitatory compounds, 223
Frenk, H., see Bossut, D., 232
Frenk, H., see Bossut, D., 247

Frey, P., see Seroogy, K., 88
Fujikawa, N., see Hiramatsu, M., 38
Fukahori, M., Itoh, M., Oomagari, K. and Kawasaki, H., Zinc content in discrete hippocampal and amygdaloid areas of the epilepsy (El) mouse and normal mice, 381
Fukuda, Y., see Sawai, H., 394
Fuxe, K., see Janson, A.M., 332

Gandolfi, O., Roncada, P., Dall'Olio, R. and Montanaro, N., Behavioral and biochemical expression of D1-receptor supersensitivity following SCH 23390 repeated administrations, 390
Ganfornina, M.D., see Sánchez, D., 166
Gardiner, S.M., see Harland, D., 58
Gauchy, C., see Kemel, M.L., 307
Gaykema, R.P.A., see Wouterlood, F.G., 170
Geiger, J.D., see Staines, W.A., 72
Gibbs, T.T., see Celentano, J.J., 377
Glick, S.D., Lyon, R.A., Hinds, P.A., Sowek, C. and Titeler, M., Correlated asymmetries in striatal $D_1$ and $D_2$ binding: relationship to apomorphine-induced rotation, 43
Glowinski, J., see Kemel, M.L., 307
Goldstein, M., see Janson, A.M., 332
Goldstein, M., see Seroogy, K., 88
Grasse, K.L. and Cynader, M.S., The effect of visual cortex lesions on vertical optokinetic nystagmus in the cat, 385

Harland, D., Gardiner, S.M. and Bennett, T., Cardiovascular and dipsogenic effects of angiotensin II administered i.c.v. in Long–Evans and Brattleboro rats, 58
Härfstrand, A., see Janson, A.M., 332
Hattori, T., see Takada, M., 346
Hinds, P.A., see Glick, S.D., 43
Hiramatsu, M., Edamatsu, R., Fujikawa, N., Shirasu, A., Yamamoto, M., Suzuki, S. and Mori, A., Measurement during convulsions of guanidino compound levels in cerebrospinal fluid collected with a catheter inserted into the cisterna magna of rabbits, 38
Hökfelt, T., see Seroogy, K., 88
Horn, A.M. and Lightman, S.L., Vasopressin-stimulated turnover of phosphatidylinositol in the decentralised superior cervical ganglion of the rat, 18

Iadarola, M.J., Douglass, J., Civelli, O. and Naranjo, J.R., Differential activation of spinal cord dynorphin and enkephalin neurons during hyperalgesia: evidence using cDNA hybridization, 205
Inoue, Y., see Terashima, T., 353
Itoh, M., see Fukahori, M., 381
Iturriaga, R., see Alcayaga, J., 31

Janson, A.M., Fuxe, K., Agnati, L.F., Kitayama, I., Härfstrand, A., Andersson, K. and Goldstein, M., Chronic nicotine treatment counteracts the disappearance of tyrosine-hydroxylase-immunoreactive nerve cell bodies, dendrites and terminals in the mesostriatal dopamine system of the male rat after partial hemitransection, 332

Kameyama, M., see Nakamura, S., 144
Katada, T., see Terashima, T., 353
Kawamata, T., see Nakamura, S., 144
Kawanishi, G., see Mochida, S., 9
Kawasaki, H., see Fukahori, M., 381
Kemel, M.L., Desban, M., Gauchy, C., Glowinski, J. and Besson, M.J., Topographical organization of efferent projections from the cat substantia nigra pars reticulata, 307
Kharouby, M., see Mayo, W., 213
Kimura, H., see Nakamura, S., 144
Kimura, T., see Nakamura, S., 144
Kitayama, I., see Janson, A.M., 332
Kobayashi, H., see Mochida, S., 9
Konopacki, J., Bland, B.H. and Roth, S.H., Evidence that activation of in vitro hippocampal $\theta$ rhythm only involves muscarinic receptors, 110

Lalonde, R., Lamarre, Y. and Smith, A.M., Does the mutant mouse lurcher have deficits in spatially oriented behaviours?, 24
Lamarre, Y., see Lalonde, R., 24
Le Moal, M., see Mayo, W., 213
Li, Z.K., see Takada, M., 346
Lightman, S.L., see Horn, A.M., 18
Liles, W.C., see Martin, J.M., 370
Loewy, A.D., see Strack, A.M., 187
Lohmann, H., see Altman, L., 254
Lyon, R.A., see Glick, S.D., 43

Malkinson, T.J., see Martin, S.M., 196
Manabe, M., see Ezure, K., 262
Manabe, M., see Yamada, H., 283
Manzoni, T., see DeFelipe, J., 162
Marsden, C.A., see Fone, K.C.F., 157
Martin, D.C., Watkins, C.A., Adams, R.J. and Nason, L.A., Anesthetic effects of 5-hydroxytryptamine uptake by rat brain synaptosomes, 360
Martin, J.M., Liles, W.C. and Nathanson, N.M., Modification of neuronal muscarinic receptor-mediated responses by islet-activating protein, 370
Martin, S.M., Malkinson, T.J., Veale, W.L. and Pittman, Q.J., Prostaglandin fever in rats is altered by kainic acid lesions of the ventral septal area, 196
Marubio, L.M., see Strack, A.M., 187
Matsuda, H., see Sano, N., 324
Matsuda, S., see Sano, N., 324
Mayer, D.J., see Bossut, D., 232
Mayer, D.J., see Bossut, D., 247
Mayer, D.J., see Frenk, H., 223
Mayer, D.J., see Frenk, H., 240
Mayo, W., Kharouby, M., Le Moal, M. and Simon, H., Memory disturbances following ibotenic acid injections in the nucleus basalis magnocellularis of the rat, 213
McNeill, T.H., Brown, S.A., Rafols, J.A. and Shoulson, I., Atrophy of medium spiny I striatal dendrites in advanced Parkinson's disease, 148
Mizobe, F., see Mochida, S., 9
Mochida, S., Mizobe, F., Fisher, A., Kawanishi, G. and Kobayashi, H., Dual synaptic effects of activating $M_1$-muscarinic receptors, in superior cervical ganglia of rabbits, 9
Montanaro, N., see Gandolfi, O., 390
Monti Graziadei, A.G. and Morrison, E.E., Experimental studies on the olfactory marker protein. IV. Olfactory marker protein in the olfactory neurons transplanted within the brain, 401
Mori, A., see Hiramatsu, M., 38
Morigiwa, K., see Sawai, H., 394
Morrison, E.E., see Monti Graziadei, A.G., 401

Nagy, J.I., see Staines, W.A., 72

Nakamura, N., see Nakamura, S., 144
Nakamura, S., Kawamata, T., Kimura, T., Akiguchi, I., Kameyama, M., Nakamura, N., Wakata, Y. and Kimura, H., Reduced nicotinamide adenine dinucleotide phosphate-diaphorase histochemistry in the pontomesencephalic region of the human brainstem, 144
Naranjo, J.R., see Iadarola, M.J., 205
Nason, L.A., see Martin, D.C., 360
Nathanson, N.M., see Martin, J.M., 370
Nyhus, L.M., see Yoshida, J., 1

Ohtsuka, K., Inhibitory action of Purkinje cells in the posterior vermis on fastigio-prepositus circuit of the cat, 153
Oomagari, K., see Fukahori, M., 381
Oomura, Y., see Aou, S., 65

Pioro, E.P. and Cuello, A.C., Purkinje cells of adult rat cerebellum express nerve growth factor receptor immunoreactivity: light microscopic observations, 182
Pittman, Q.J., see Martin, S.M., 196
Polley, E.H., see Yoshida, J., 1

Rafols, J.A., see McNeill, T.H., 148
Ribas, J., see Sánchez, D., 166
Robertson, H.A., see Dragunow, M., 295
Roncada, P., see Gandolfi, O., 390
Rossi, P., see Altavista, M.C., 177
Roth, S.H., see Konopacki, J., 110

Sánchez, D., Ganfornina, M.D. and Ribas, J., Periaqueductal gray neurons' activity in a mesencephalic slice preparation, 166
Sano, N., Matsuda, S., Matsuda, H. and Uehara, Y., A morphometric analysis of extracellular space in the developing spinal cord of the chick embryo, 324
Sawai, H., Morigiwa, K. and Fukuda, Y., Effects of EEG synchronization on visual responses of the cat's geniculate relay cells: a comparison among Y, X and W cells, 394
Sawyer, W.B., see Strack, A.M., 187
Schalling, M., see Seroogy, K., 88
Seroogy, K., Ceccatelli, S., Schalling, M., Hökfelt, T., Frey, P., Walsh, J., Dockray, G., Brown, J., Buchan, A. and Goldstein, M., A subpopulation of dopaminergic neurons in rat ventral mesencephalon contains both neurotensin and cholecystokinin, 88
Shen, K.-F., see Crain, S.M., 99
Shirasu, A., see Hiramatsu, M., 38
Shoulson, I., see McNeill, T.H., 148
Simon, H., see Mayo, W., 213
Smith, A.M., see Lalonde, R., 24
Sowek, C., see Glick, S.D., 43
Staines, W.A., Yamamoto, T., Dewar, K.M., Daddona, P.E., Geiger, J.D. and Nagy. J.I., Distribution, morphology and habenular projections of adenosine deaminase-containing neurons in the septal area of rat, 72
Strack, A.M., Sawyer, W.B., Marubio, L.M. and Loewy, A.D., Spinal origin of sympathetic preganglionic neurons in the rat, 187
Suzuki, S., see Hiramatsu, M., 38

Takada, M., Li, Z.K. and Hattori, T., Single thalamic dopaminergic neurons project to both the neocortex and spinal cord, 346
Takayama, C., see Terashima, T., 353
Terashima, T., Katada, T., Takayama, C., Ui, M. and Inoue, Y., Immunohistochemical detection of GTP-binding regulatory protein ($G_o$) in the autonomic nervous system including the enteric nervous system, superior cervical ganglion and adrenal medulla, 353
Titeler, M., see Glick, S.D., 43
Tomlinson, D.R., see Fone, K.C.F., 157
Torrealba, F. and Claps, A., The carotid sinus connections: a WGA–HRP study in the cat, 134
Torrealba, F., see Claps, A., 123

Uehara, Y., see Sano, N., 324
Ui, M., see Terashima, T., 353
Urca, G., see Fleischmann, A., 49
Urca, G., see Frenk, H., 223

Van Eyck, S.L., see DeFelipe, J., 162
Veale, W.L., see Martin, S.M., 196

Wakata, Y., see Nakamura, S., 144
Walsh, J., see Seroogy, K., 88
Waszczak, B.L., Applegate, C.D. and Burchfiel, J.L., Kindling does not cause persistent changes in firing rates or transmitter sensitivities of substantia nigra pars reticulata neurons, 115
Watkins, C.A., see Martin, D.C., 360
Wiegand, H., see Altmann, L., 254
Williams, J.H., see Clatworthy, A., 300
Wolf, M.K., see Billings-Gagliardi, S., 271
Wouterlood, F.G. and Gaykema, R.P.A., Innervation of histaminergic neurons in the posterior hypothalamic region by medial preoptic neurons. Anterograde tracing with *Phaseolus vulgaris* leucoagglutinin combined with immunocytochemistry of histidine decarboxylase in the rat, 170

Yamada, H., Ezure, K. and Manabe, M., Efferent projections of inspiratory neurons of the ventral respiratory group. A dual labeling study in the rat, 283
Yamada, H., see Ezure, K., 262
Yamamoto, M., see Hiramatsu, M., 38
Yamamoto, T., see Staines, W.A., 72
Yoshida, J., Polley, E.H., Nyhus, L.M. and Donahue, P.E., Labeling of nerve cells in the dorsal motor nucleus of the vagus of rats by retrograde transport of Fluoro-Gold, 1
Yoshimatsu, H., see Aou, S., 65

Zapata, P., see Alcayaga, J., 31